

Series 4, free-standing fridge-freezer with freezer at bottom, 203 x 60 cm, Stainless steel look KGN392LDC









Included accessories

3 x egg tray 1 x ice cube tray

The No Frost bottom freezer with VitaFresh: Keeps your fresh foods fresh longer.

- VitaFresh: keeps food fresh for longer in climate controlled drawers at near 0°C.
- No Frost: you'll never have to defrost your fridge-freezer again.
- Perfect Fit: place your fridge right next to walls or in a niche.
- Automatic Super Freezing function: optimal for freezing smaller food load faster whilst protecting your frozen items from defrosting, thanks to the detection of temperature increase and the automatic decrease of temperature
- LED lighting: Explore the bright side of fridge illumination with LEDs.

Technical Data

A G D

Energy Efficiency Class: D

Average annual energy consumption in kilowatt hour per year

(kWh/a): 191 kWh/annum

Sum of volume of frozen compartments: 89 I Sum of volume of chill compartments: 279 I

Airborne acoustical noise emissions: 36 dB(A) re 1 pW

Airborne acoustical noise emission class: C Built-in / Free-standing: Free-standing Door panel options: Not possible

Height: 2030 mm

Width of the appliance: 600 mm Depth of the product: 660 mm

Net weight: 75.2 kg Connection Rating: 100 W Fuse protection: 10 A Door hinge: Right reversible

Voltage: 220-240 V

Length electrical supply cord: 240.0 cm

Number of compressors: 1

Number of independent cooling systems: 2

Interior ventilator: No Reversible Door Hinge: Yes

Number of Adjustable Shelves in fridge compartment: 3

Shelves for Bottles: Yes Installation typology: N/A





Series 4, free-standing fridge-freezer with freezer at bottom, 203 x 60 cm, Stainless steel look KGN392LDC

The No Frost bottom freezer with VitaFresh: Keeps your fresh foods fresh longer.

- NoFrost, Bottom freezer
- Stainless steel look Doors

Performance and consumption

- Energy Class: D

- Total Volume: 368 I

- Net Fridge Volume : 279 l

- Net Freezer Volume: 89 I

- Freezing capacity 24h: 10 kg

- Annual Energy Consumption: 191 kWh/a

- Climate Class: SN-T

- Fast Freeze Facility

- Noise Level: 36 dB, C Class

- Temperature rise time : 12 H

Design and Styling

- Doors Stainless steel look, side panels Pearl grey (VZF 07127)
- Integrated vertical handle
- LED with Soft Start in fridge section

Convenience & Safety

- NoFrost
- Separate, electronic temperature control, LED indicators
- Two Cooling Systems
- Super Cooling: automatic deactivation
- Optical and acoustic door open warning system
- Visual and acoustic warning system in case of malfunction of the freezer compartment

Fridge Compartment

- Multi Airflow-System
- 5 safety glass shelves, thereof 3 height adjustable, 4 x EasyAccess Shelf, extendable
- Bottle storage: Bottle grid
- 1 door bin(s) high, 3 door bin(s) small

Freshness System

- 1 VitaFresh ◀0°C► drawer Fish and meat stay fresh for longer
 - 1 VitaFresh drawer with humidity control Fruits and vegetables retain vitamins and stay fresh for longer.

Freezer

- 3 transparent freezer drawers
- Super Freezing: Manual/automatic activiation
- Vario Zone removable glass shelves for extra space in freezer

Dimensions

- Appliance Dimensions (HxWxD): 203 cm x 60 cm x 66.0 cm

Technical Information

- Door right hinged, reversible
- Height adjustable front feet
- Connected load: 100 W
- Nominal voltage: 220 240 V
- Length of power cord: 240 cm

Accessories

- egg tray ice cube tray
- egg tray ice cube tray

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Environment and Safety


Installation


General Information


- Compressor TechnologCompressor: inverter compressor



Series 4, free-standing fridge-freezer with freezer at bottom, 203 x 60 cm, Stainless steel look KGN392LDC







Dimension A:

In models with vertical integrated handles, in order to open easily, a minimum distance of 65 mm is needed.

measurements in mm