

Series 6, free-standing fridge-freezer with freezer at bottom, 203 x 60 cm, Stainless steel (with anti-fingerprint) KGN394ICF



Included accessories

3 x egg tray
1 x ice cube tray

The No Frost bottom freezer with VitaFresh: Keeps your fresh foods fresh longer.

- **VitaFresh XXL <0°C>**: keeps food fresh for longer in extra-large climate-controlled fridge drawers.
- **No Frost**: you'll never have to defrost your fridge-freezer again.
- **Metal Backwall with Multi Airflow**: evenly circulates cool, fresh air to maintain consistent temperatures.
- **Flex Interior**: adjust the interior of the fridge to your needs thanks to flexible door trays.
- **LED lighting**: Explore the bright side of fridge illumination with LEDs.

Technical Data

Energy Efficiency Class (Regulation (EU) 2017/1369): C
Average annual energy consumption in kilowatt hour per year (kWh/a): 162 kWh/annum
Sum of volume of frozen compartments: 103 l
Sum of volume of chill compartments: 260 l
Airborne acoustical noise emissions : 35 dB(A) re 1 pW
Airborne acoustical noise emission class: B
Built-in / Free-standing: Free-standing
Door panel options: Not possible
Height: 2030 mm
Width of the appliance: 600 mm
Depth of the product: 665 mm
Net weight: 73.7 kg
Fuse protection: 10 A
Door hinge: Right reversible
Voltage: 220-240 V
Frequency: 50 Hz
Length electrical supply cord: 240.0 cm
Number of compressors: 1
Number of independent cooling systems: 2
Interior ventilator: No
Reversible Door Hinge: Yes
Number of Adjustable Shelves in fridge compartment: 3
Shelves for Bottles: Yes
Installation typology: N/A



Series 6, free-standing fridge-freezer with freezer at bottom, 203 x 60 cm, Stainless steel (with anti-fingerprint) KGN394ICF

The No Frost bottom freezer with VitaFresh: Keeps your fresh foods fresh longer.

Performance and consumption

- Energy Class: C
- Total Volume: 363 l
- Net Fridge Volume : 260 l
- Net Freezer Volume : 103 l
- Freezing capacity 24h: 10 kg
- Annual Energy Consumption: 162 kWh/a
- Climate Class: SN-T
- Fast Freeze Facility
- Noise Level : 35 dB , B Class
- Temperature rise time : 15 H

Design and Styling

- Doors inox EasyClean, side panels Pearl grey (VZF 07127)
- Integrated vertical handle
- Metal backwall with MultiAirflow
- LED with Soft Start in fridge section

Convenience & Safety

- Total NoFrost - never defrost again
- Connectivity: No
- Separate, electronic temperature control, LED indicators
- Two Cooling Systems
- Super Cooling: automatic deactivation
- Optical and acoustic door open warning system
- Visual and acoustic warning system in case of malfunction of the freezer compartment

Fridge Compartment

- Multi Airflow-System
- 5 PC safety glass shelves of which 3 are height adjustable
- Flex Shelf - dividable and foldable glass shelf
- Bottle storage: Bottle grid
- 4 door bins, thereof 1 dairy compartment and 1 bottle door bin(s) high
- Dairy compartment
- 1 door bin(s) high, 3 door bin(s) small

Freshness System

- 1 VitaFresh ◀0°C▶ drawer - Fish and meat stay fresh for longer
- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer.

Freezer

- 3 transparent freezer drawers

Dimensions

- Appliance Dimensions (H x W x D): 203 cm x 60 cm x 66.5 cm

Technical Information

- Door right hinged, reversible
- Height adjustable front feet
- Nominal voltage: 220 - 240 V

Accessories

- egg tray
ice cube tray
- egg tray
ice cube tray

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Environment and Safety


Installation

General Information


- Compressor Technology: inverter compressor

Series 6, free-standing fridge-freezer with freezer at bottom, 203 x 60 cm, Stainless steel (with anti-fingerprint) KGN394ICF

Measurements in mm



Measurements in mm



Measurements in mm

