

Series 4, free-standing fridge-freezer with freezer at bottom, 203 x 70 cm, Stainless steel (with anti-fingerprint) KGN497ICT





Included accessories 3 x egg tray 1 x ice cube tray

Optional accessories

KSZ39AL00 : Connection set inox

The No Frost bottom freezer with VitaFresh and XXL capacity: Keeps your fresh foods fresh for longer

- XXL capacity: provides lots of space for your food.
- VitaFresh XXL <0°C>: keeps food fresh for longer in extra-large climate-controlled fridge drawers.
- No Frost: you'll never have to defrost your fridge-freezer again.
- Glossy Backwall with Multi Airflow: evenly circulates fresh air to maintain consistent temperatures.
- **Flex Shelf:** space for bottles and bowls with sectioned glass shelves that can be separated and slid underneath or fold up to the backwall.

Technical Data

A G C

> Energy Efficiency Class (Regulation (EU) 2017/1369): C Average annual energy consumption in kilowatt hour per year (kWh/a): 178 kWh/annum Sum of volume of frozen compartments: 129 l Sum of volume of chill compartments: 311 l Airborne acoustical noise emissions : 35 dB(A) re 1 pW Airborne acoustical noise emission class: B Built-in / Free-standing: Free-standing Door panel options: Not possible Height: 2030 mm Width of the appliance: 700 mm Depth of the product: 667 mm Net weight: 81.5 kg Fuse protection: 10 A Door hinge: Right reversible Voltage: 220-240 V Length electrical supply cord: 240.0 cm Number of compressors: 1 Number of independent cooling systems: 2 Interior ventilator: No Reversible Door Hinge: Yes Number of Adjustable Shelves in fridge compartment: 3 Shelves for Bottles: Yes Installation typology: N/A





Series 4, free-standing fridge-freezer with freezer at bottom, 203 x 70 cm, Stainless steel (with anti-fingerprint) KGN497ICT

The No Frost bottom freezer with VitaFresh and XXL capacity: Keeps your fresh foods fresh for longer

Freshness System

- 1 VitaFresh ◀0°C► drawer - Fish and meat stay fresh for longer

1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer.

Freezer

- 3 transparent freezer drawers

Dimensions

- Appliance Dimensions (H x W x D): 203 cm x 70 cm x 66.7 cm

Technical Information

- Door right hinged, reversible
- Height adjustable front feet
- Length of power cord: 240 cm
- Nominal voltage: 220 240 V

Accessories

- egg tray ice cube tray
- egg tray
- ice cube tray

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

Environment and Safety

Installation

General Information

- Super Freezing: Manual/automatic activiation
- Compressor TechnologCompressor: inverter compressor

- Total NoFrost - never defrost again, Bottom freezer

- inox EasyClean Doors

Performance and consumption

- Energy Class: C
- Total Volume: 440 l
- Net Fridge Volume : 311 l
- Net Freezer Volume : 129 I
- Freezing capacity 24h: 11 kg
- Annual Energy Consumption: 178 kWh/a
- Climate Class: SN-T
- Fast Freeze Facility
- Noise Level : 35 dB , B Class
- Temperature rise time : 18 H

Design and Styling

- Doors inox EasyClean, side panels Pearl grey (VZF 07127)
- White glossy backwall with Multi-Airflow
- vertical handle
- LED with Soft Start in fridge section

Convenience & Safety


- Total NoFrost never defrost again
- Separate, electronic temperature control, LED indicators
- Two Cooling Systems
- Super Cooling: automatic deactivation
- Optical and acoustic door open warning system
- Visual and acoustic warning system in case of malfunction of the freezer compartment

Fridge Compartment

- Multi Airflow-System
- 5 safety glass shelves, thereof 3 height adjustable, Flex Shelf dividable and foldable glass shelf
- 5 PC safety glass shelves of which 3 are height adjustable
- Bottle storage: Bottle grid
- 1 door bin(s) high, 3 door bin(s) small
- 4 door bins, thereof 1 door bin(s) high



Series 4, free-standing fridge-freezer with freezer at bottom, 203 x 70 cm, Stainless steel (with anti-fingerprint) KGN497ICT



Measurements in mm $\underbrace{20}{600} \underbrace{\geq 20}{125^{\circ}} \underbrace{125^{\circ}} \underbrace{100}{100} \underbrace{\geq 100}{100} \underbrace{100}{100} \underbrace{$

