


**Series 4, Gas hob, 75 cm, Stainless steel
PGS7B5B90**



Optional accessories

HEZ298105 : Simmer plate
HEZ298115 : Small pot support

**The gas hob with front-mounted controls:
the desired cooking zones can be
conveniently operated from the front.**

- **Wok burner:** powerful cooking at up to 3.3 kW (depending on gas type).
- **Soportes continuos de hierro fundido:** para una máxima estabilidad.
- **Biomethane Ready:** your gas hob can also be powered with eco-friendly biomethane gas.
- **Sword knobs:** for an ergonomic control.
- **Surface colour:** elegant stainless-steel design.

Technical Data

Product name/family : gas hob w integrated controls

Built-in / Free-standing : Built-in

Energy input : Gas

Total number of positions that can be used at the same time :
5

Type of control setting devices : sword knobs

Min. required niche size for installation (HxWxD) : 45 x
560-562 x 480-492 mm

Width of the appliance : 750 mm

Dimensions : 53 x 750 x 520 mm

Dimensions of the packed product (HxWxD) : 145 x 793 x 597
mm

Net weight : 15.2 kg

Gross weight : 16.8 kg

Residual heat indicator : no

Location of control panel : Hob front

Basic surface material : Stainless steel

Color of surface : Stainless steel

Length electrical supply cord : 150.0 cm

EAN code : 4242005096954

Gas connection rating : 10800 W

Fuse protection : 3 A

Voltage : 220-240 V

Frequency : 50; 60 Hz



4 242005 096954

Series 4, Gas hob, 75 cm, Stainless steel PGS7B5B90

**The gas hob with front-mounted controls:
the desired cooking zones can be
conveniently operated from the front.**

Design

- Stainless steel surface
- Cast iron continuous pan supports

Usage convenience

- Sword control knobs: easily access knobs in front with strong grip for effortless turning.
- 1 Hand ignition: just push and turn the knob to ignite the flame.

Burners and power

- 5 Gas burners
- Left: Wok burner up to 3.3 KW (depending on gas type)
- Center front: Economy burner up to 1 KW (depending on gas type)
- Center rear: Standard burner up to 1.75 KW (depending on gas type)
- Right rear: Rapid burner up to 3 KW (depending on gas type)
- Right front: Standard burner up to 1.75 KW (depending on gas type)

Safety

- Flame failure safety device: prevents unwanted gas flow when flame goes out.

Installation (gas types & measurements)

- Usable for: NG H/E 20mbar, E+ 20/25mbar
Natural gas H 25 mbar (HU) Natural gas L 25 mbar (NL)
Liquid gas G30,31 28-30/37mbar Liquid gas G30 37 mbar (PL) Liquid gas 50 mbar
- Preset for natural gas (20mbar)
- Nozzle set for Liquid gas nozzles (28-30/37mbar) included. Nozzles for all other gas types can be ordered via the customer service. For nozzle change, please contact the customer service.
- Dimensions of the product (HxWxD mm): 53 x 750 x 520
- Required niche size for installation (HxWxD mm) : 45 x 560 x (480 - 492)
- Min. worktop thickness: 30 mm
- Power cord: 1.5 m
- Connected load: 10.8 KW

**Series 4, Gas hob, 75 cm, Stainless steel
PGS7B5B90**

