

Series 8, Built-in oven, 60 x 60 cm, White HBG7321W1

The built-in oven with Digital Control Ring and TFT-touchdisplay. Assist function for meals, Air Fry, Home Connect for control via the App.

Type of oven / heating system:

- Oven with 11 heating methods: 3D Hotair, Conventional heat, Hot air grilling, Full width grill, Half width grill, Pizza setting, Bottom heat, Defrost, Hotair gentle, Conventional heat gentle, Air fry
- Temperature range 30 °C - 300 °C
- Cavity volume: 71 l

Hook-in racks / rails

- Number of shelf levels: 5 PC
- Telescopic shelf rails as optional accessory

Design:

- Touch control
- Digital Control Ring
- Cavity inner surface: enamel

Cleaning:

- EcoClean Direct: coating of back panel
- Cleaning Assistance (program)
- Full glass inner door

Comfort:

- Oven Assistant with Voice Control
- TFT-touchdisplay
- Electronic clock
- Temperature proposal
Actual temperature display Heating-up control
- Drop down door
- Oven door with SoftOpen and SoftClose
- Supporting systems: Dish Assist
- Air Fry Function
- Automatic rapid heating up
- Halogen interior lighting, Switch for oven illumination
- Integral cooling fan
- Home Connect ready on Wi-Fi

Accessory:

- 1 x combination grid, 1 x universal pan

Environment and Safety:

- low door temperature
- Triple glazed door glazed CoolTouch door
- Child lock
Residual heat indicator Start-/Stop button Door contact switch

Technical Information


- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A+(at a range of energy efficiency classes from A+++ to D)
Energy consumption per cycle in conventional mode:0.87 kWh
Energy consumption per cycle in fan-forced convection mode:0.69 kWh
Number of cavities: 1 Heat source: electrical Cavity volume:71 l

Dimensions:

- Appliance dimension (HxWxD): 595 mm x 594 mm x 548 mm
- Niche dimension (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- "Please reference the built-in dimensions provided in the installation drawing"

Series 8, Built-in oven, 60 x 60 cm, White HBG7321W1

Installing two appliances on top of each other
Air exchange



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm

