


**Series 8, Built-in oven with added steam function, 60 x 60 cm, Black HRG7784B1**



**Included accessories**

1 x enamel baking tray  
1 x combination grid  
1 x universal pan

**Optional accessories**

HEZ327000 Pizza stone, HEZ333001 Lid for professional pan, HEZ530000 Half tray, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ617000 Pizza pan, enamelled, HEZ629070 Air Fry Grill tray, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ633001 Lid for professional pan, enamelled, HEZ633070 Professional pan, enamelled, HEZ633073 Professional pan, enamelled, HEZ634000 Baking and roasting grid (standard), HEZ635001 AirFry Grill Set, HEZ636000 Glass pan, HEZ638070 Full ext rails, level independent, pyro, HEZ660060 Strip, HEZ664000 Baking and roasting grid (steam), HEZ915003 Glass roasting dish, 5,4 L, HEZG0AS00 Connecting cable 3m

**The built-in added steam oven with Digital Control Ring and TFT-touchdisplay. Assist function for meals: automatically prepares your dishes so they're crispy and juicy, PerfectRoast Plus, PerfectBake Plus, Home Connect for control via the App.**

- **Digital Control Ring:** the simple and innovative way to select oven settings.
- **TFT Touch Display Pro:** control with an innovative Digital Control Ring and full TFT touchscreen.
- **Automatic Switch-off:** cooking process automatically stops as soon as the dish is done.
- **PerfectBake Plus:** regulates settings and tells you exactly when to remove dishes from the oven.
- **PerfectRoast Plus:** knows exactly when your roast is done.

**Technical Data**

Gross weight : 48.0 kg  
Built-in / Free-standing : Built-in  
Integrated Cleaning system : Pyrolytic+Hydrolytic  
Min. required niche size for installation (HxWxD) : 585-595 x 560-568 x 550 mm  
Dimensions : 595 x 594 x 548 mm  
Dimensions of the packed product (HxWxD) : 675 x 660 x 690 mm  
Control Panel Material : Glass  
Door Material : Glass  
Net weight : 45.6 kg  
Usable volume of cavity : 71 l  
Heating modes : : 4D hot air, Air fry, Bottom heat, Conventional heat, Conventional heat gentle, Defrost, Dehydrate, Full width grill, Half width grill, Hotair gentle, Hot air grilling, Intensive heat, low temperature cooking, Pizza setting, pre-heating, regeneration, warming  
Number of interior lights : 1  
Length electrical supply cord : 120.0 cm  
Interior Lights - cavity 1 : 1  
Pull-out system : Accessory  
Included accessories : 1 x enamel baking tray, 1 x combination grid, 1 x universal pan  
Broil Element Wattages cavity 1 : 2800 W  
Convection Element Wattages cavity 1 : 2200 W  
Energy efficiency class (2010/30/EC) : A+  
Energy consumption per cycle conventional (2010/30/EC) : 0.87 kWh/cycle  
Energy consumption per cycle forced air convection (2010/30/EC) : 0.69 kWh/cycle  
Energy efficiency index (2010/30/EC) : 81.2 %  
Connection Rating : 3600 W  
Fuse protection : 16 A  
Voltage : 220-240 V  
Frequency : 50; 60 Hz  
Plug type : GARDY plug w/ earthing  
Energy input : Electric  
Required cutout/niche size for installation (in) : x  
Dimensions of the packed product : 26.57 x 25.98 x 27.16  
Net weight : 100.000 lbs  
Gross weight : 106.000 lbs  
Length electrical supply cord : 120.0 cm  
Net weight : 45.6 kg  
Included accessories : 1 x enamel baking tray, 1 x combination grid, 1 x universal pan



## Series 8, Built-in oven with added steam function, 60 x 60 cm, Black HRG7784B1

**The built-in added steam oven with Digital Control Ring and TFT-touchdisplay. Assist function for meals: automatically prepares your dishes so they're crispy and juicy, PerfectRoast Plus, PerfectBake Plus, Home Connect for control via the App.**

### Type of oven / heating system:

- Oven with 22 heating methods: 4D hotair, Conventional heat, Hot air grilling, Full width grill, Half width grill, Pizza setting, Bottom heat, Intensive heat, Low temperature cooking, Defrost, Preheating, Desiccation, Keep warm, Hotair gentle, Conventional heat gentle, Air fry, Regeneration with steam, Fermentation with steam, hotair grilling + steam, warming + steam, 4D hotair + steam, Top/bottom heat + steam
- Temperature range 30 °C - 300 °C
- Cavity volume: 71 l

### Hook-in racks / rails

- Number of shelf levels: 5 PC
- Telescopic shelf rails as optional accessory, pyrolytic proof

### Design:

- Touch control
- Digital Control Ring
- Cavity inner surface: enamel
- Extra large capacity oven

### Cleaning:

- Pyrolytic self-cleaning function
- Cleaning Assistance (program)
- Full glass inner door

### Comfort:

- Oven Assistant with Voice Control
- TFT-touchdisplay Pro
- Electronic clock
- Temperature proposal  
Actual temperature display Heating-up control
- Drop down door
- Oven door with SoftOpen and SoftClose
- Supporting systems: Dish Assist
- PerfectRoast plus
- PerfectBake plus
- Air Fry Function
- Automatic rapid heating up
- Steam Boost - add for 3min intensive steam with a touch of a button.
- There are different steam intensities selectable: steam level high, steam level middle, steam level low
- Crisp Function
- LED light, Switch for oven illumination
- Water tank empty indicator
- Location of the steam generator is outside of the cavity
- Integral cooling fan
- Home Connect ready on Wi-Fi

### Accessory:

- 1 x enamel baking tray, 1 x combination grid, 1 x universal pan

### Environment and Safety:

- low door temperature
- Low door temperature during pyrolytic cleaning
- Quadruple glass door panel glazed CoolTouch door
- Automatic door lock during pyrolysis  
Child lock Residual heat indicator Start-/Stop button Door contact switch

### Technical Information

- Length of mains cable: 120 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A+(at a range of energy efficiency classes from A+++ to D)  
Energy consumption per cycle in conventional mode:0.87 kWh  
Energy consumption per cycle in fan-forced convection mode:0.69 kWh  
Number of cavities: 1 Heat source: electrical Cavity volume:71 l

### Dimensions:

- Appliance dimension (HxWxD): 595 mm x 594 mm x 548 mm
- Niche dimension (HxWxD): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- "Please reference the built-in dimensions provided in the installation drawing"

