
N 90, Flex induction hob, 90 cm, Flex Design T69YYX4C0







Optional accessories

Z9301CO10 : Connecting strip , Z9301CPAY0 : Flex Design conn. trim hob+hob A.Grey, Z9301CPBY0: Flex Design conn. trim hob+hob B.Bronze, Z9301CPDY0: Flex Design conn. trim hob+hob D.Black, Z9301CPMY0: Flex Design conn. trim hob+hob M.Silver, Z9302GLAY0: Flex Design seaml. glassdr +hob A.Grey, Z9302GLBY0: Flex Design seaml. glassdr+hob B.Bronze, Z9302GLDY0: Flex Design seaml. glassdr+hob D.Black, Z9302GLMY0: Flex Design seaml. glassdr+hob M.Silver, Z9404SE0: 4 pieces Set , Z9406SE0 : 6 pieces Set , Z9410ES0 : Espresso maker 4 cups, Z9410X1: Stainless Steel roaster with glas lid, Z9415X1: Steaming Rack for Stainless Steel roaste, Z9416X2: Griddle Plate, Z9417X2: Teppan Yaki (large), Z943SE0: Set of 2 pots and 1 pan, Z9801TWAY0: Twist Pad Flex, Anthracite Grey, Z9801TWBY0: Twist Pad Flex, Brushed Bronze, Z9801TWDY0: Twist Pad Flex, Deep Black, Z9801TWMY0: Twist Pad Flex, Metallic Silver, Z9802PFAY0: Flex Design trims hob Anthrazite Grey , Z9802PFBY0 : Flex Design trims hob, Brushed Bronze, Z9802PFDY0: Flex Design trims hob Deep Black, Z9802PFMY0: Flex Design trims hob Metallic Silver

Standalone Flex Induction hob with Twist Pad^{\odot} Flex control and Flex Design.

- $\sqrt{\mbox{ Twist Pad Flex}^{\circledcirc}}$ An easy to spin dial for effortless control of your hob.
- $\sqrt{\mbox{ Flex Design}}$ Personalise your hob with separately selectable Twist Pad Flex® and frame elements.
- $\sqrt{\mbox{ Flex}}$ Induction Your hob detects and heats your individual cookware.
- $\sqrt{\,}$ Intuitive Flex Zones Place your cookware! Size, shape and position are recognised instantly.
- $\sqrt{}$ Home Connect Monitor your hob via the App.

Features

Technical Data

Product name/family: Cooking zone ceramic

Built-in / Free-standing : Built-in

Energy input: Electric

Total number of positions that can be used at the same time : 5 Min. required niche size for installation (HxWxD) : $51 \times 880-880 \times 10^{-2}$

490-500 mm

Width of the appliance : 934 $\,$ mm Dimensions : 51 x 934 x 527 $\,$ mm

Dimensions of the packed product (HxWxD) : $130 \times 1070 \times 610$ mm

Net weight: 18.2 kg Gross weight: 22.0 kg Residual heat indicator: yes Location of control panel: Front Basic surface material: Ceramic

Color of surface : Black

Color of frame: Choose from Brushed Bronze, Anthracite Grey, Deep

Black or Metallic Silver

Length electrical supply cord: 110.0 cm

EAN code : 4242004269939 Voltage : 220-240 V Frequency : 50; 60 Hz





Features

• 90 cm: space for 5 pots

Flexibility of cooking zones

- 3 Flex Zones: use cookware of any shape or size anywhere within the 40cm long zone.
- Cooking zone front left: 200 mm, 230 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone rear left: 200 mm, 230 mm, 2.2 KW (max. power 3.7 KW)
- Cooking zone rear middle: 230 mm, 300 mm, 2.6 KW (max. power 3.7 KW)
- Cooking zone rear right: 200 mm, 230 mm, 2.2 KW (max power 3.7 KW)
- Cooking zone front right: 200 mm, 230 mm, 2.2 KW (max. power 3.7 KW)

Usage convenience

- Twist Pad Flex[®] (select your favourite out of 4 colours): directly control the power with the removable magnetic knob.
- Light Dialog with two coloured display (white/red): see directly, which cooking zone is heating and which function is in use on the two-coloured display.
- Favourite button: directly access favourite functions with a configurable button (available with connected Home Connect account).
- 17 power levels: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).
- Keep warm, selectable via Favourite button/Home Connect
 App (expected availability in Q4/2024 via software update for
 appliances connected to Home Connect): keep dishes warm at
 preset low power level.
- Switch-off timer (on appliance): switches off the cooking zone at the end of the time set (e.g. for boiled eggs).
- Count-down-timer (can be chosen instead of switch-off timer): an alarm sounds at the end of the time set (e.g. for pasta).
- Sound volume adaptable to personal preference and needs.

Time saving & efficiency

- Power Boost for all zones: boil water more quickly thanks to 50% more energy than at the highest standard level.
- Pan boost, selectable via Favourite button/Home Connect
 App (expected availability in Q4/2024 via software update for
 appliances connected to Home Connect): heat up pans more

- quickly than at the highest standard level while protecting the pan coating.
- Automatic join split: when placing large cookware on the Flex zone, the hob automatically connects two cooking zones into a large continuous one.
- Power Transfer: when moving a pot to a different cooking zone (Flex zone), transfer all previous settings to the new zone at the touch of a button.
- Automatic zone selection: when switched on, the hob automatically selects the Flex cooking zone on which a new cookware is placed.
- When moving a pot on the Flex zone, the settings adjust instantly and the cooking zone adapts to the size of the cookware
- Quick Start Function: when switching on, the hob automatically selects the cooking zone with cookware (placed in off-mode).
- Re Start Function: in case of unintentional switch-off, restore all previous settings by switching on the hob again within 4 seconds.

Cooking assistance

- Extended Frying Sensor: prevents scorching with the automatic temperature regulation of the integrated sensor.
- Dish assistant, via Home Connect App (expected availability in Q4/2024 via software update for appliances connected to Home Connect): easily find the right temperature setting for a certain dish via the Home Connect app.

Connectivity

- Home Connect (only in countries where Home Connect service is available): check if the hob is switched off even when not at home, and find recipes or additional functions in the Home Connect app.
- Hob-based hood control (with matching hood): automatically activates the hood when cooking, thanks to the WiFi connection of hob and suitable hood.
- Smart Hood Automatic: hood automatically adapts fan speed thanks to hob continuously providing cooking data (with matching hood and connected Home Connect account).
- Smart home trigger, via Favourite button (available with connected Home Connect account): open up the smart universe from your cooktop (partner service required).
- Updateable appliance (available with connected Home Connect account): keep appliance always up to date with latest status of software

Design

- Flex Design: exchangeable side trims (select your favourite out of 4 colours)
- Neff Collection exclusive zone printing: minimalistic design thanks to dark colour of zone printing.



Features

Safety

- Residual heat indicator (2 stage): indicates which cooking zones are still hot or warm.
- Childproof lock: prevent unintended activation of the hob.
- Pause function: pause the heating process, e.g to answer the door.
- \bullet Main Switch: switch off all cooking zones at the touch of a button.
- Safety switch-off: for safety reasons, heating stops after a preset time without interaction (customizable).

Installation

- Dimensions of the product (HxWxD mm): 51 x 934 x 527
- Required niche size for installation (HxWxD mm) : 51 x 880 x (490 500)
- Min. worktop thickness: 16 mm
- Connected load: 11100 W
- Powermanagement function: limit the maximum power if needed (depends on fuse protection of electric installation).



