

Series 4, Gas hob, 60 cm, Stainless steel PGH6B5B80



HEZ298105 Simmer plate HEZ298110 Wok ring

HEZ298110 Wok ring
HEZ298115 Small pot support

The gas hob with front-mounted controls: the desired cooking zones can be conveniently operated from the front.

- Wok burner: powerful cooking at up to 3.3 kW (depending on gas type).
- Continuous steel pan supports: for maximum stability.
- **Biomethane-ready**: your gas hob can also be powered with renewable biomethane gas.
- Sword knobs: for an ergonomic control.
- Surface colour: elegant stainless-steel design.

Product name/family:
Width of the appliance:582 mm
Dimensions:
Dimensions of the packed product (HxWxD): 141 x 651 x 578 mm
Net weight:7.2 kg
Gross weight:
Residual heat indicator:
Location of control panel: Front
Basic surface material:Stainless steel
Color of surface: Stainless steel
Length electrical supply cord:
Knob Material:Plastic
Sealed Burners:
Power of heating element (kW):1.75 kW
Power of 3rd heating element (kW): 1.75 kW
Power of 5th heating element (kW):
Connection rating: 1 W
Gas connection rating:8000 W
Fuse protection:3 A
Voltage:
Frequency:
Energy input:Gas
Gas type: Nat gas H/E/(L) 20 (25) mbar
Alternative gas type:Liquid gas G30,31 28-30/37mbar
Plug type:No plug (electrical connection by electrician)
Appliance Dimensions (h x w x d) (in):x x
Dimensions of the packed product: 5.55 x 22.75 x 25.62
Net weight:
Gross weight:
Total number of positions that can be used at the same time: 4
Length electrical supply cord:
Min. required niche size for installation (HxWxD):45 x 560-562 x 480-492 mm
480-492 mm Dimensions: 53 x 582 x 520 mm
Dimensions:
Net weight:
Gross weight: 8.1 kg
GIUSS WEIGHT:O. I Kg





Series 4, Gas hob, 60 cm, Stainless steel PGH6B5B80

The gas hob with front-mounted controls: the desired cooking zones can be conveniently operated from the front.

Design

- Stainless steel surface
- Steel continuous pan supports

Usage convenience

- Sword control knobs: easily access knobs in front with strong grip for effortless turning.
- 1 Hand ignition: just push and turn the knob to ignite the flame.

Burners and power

- 4 Gas burners
- Left front: Standard burner up to 1.75 KW (depending on gas type)
- Left rear: Standard burner up to 1.75 KW (depending on gas type)
- Right rear: Wok burner up to 3.3 KW (depending on gas type)
- Right front: Economy burner up to 1 KW (depending on gas type)

Safety

- Flame failure safety device: prevents unwanted gas flow when flame goes out.

Installation (gas types & measurements)

- Usable for: Nat gas L/LL G25/20mbar(DE)
- NG H/E 20mbar, E+ 20/25mbar Natural gas H 25 mbar (HU) Natural gas L 25 mbar (NL) Liquid gas G30,31 28-30/37mbar Liquid gas G30 37 mbar (PL) Liquid gas 50 mbar
- Preset for natural gas (20mbar)
- Nozzle set for Liquid gas nozzles (28-30/37mbar) included. Nozzles for all other gas types can be ordered via the customer service. For nozzle change, please contact the customer service.
- Dimensions of the product (HxWxD mm): $53 \times 582 \times 520$
- Required niche size for installation (HxWxD mm) : 45 x 560 x (480 492)
- Min. worktop thickness: 30 mm
- Power cord: 1 m
- Connected load: 8 KW



Series 4, Gas hob, 60 cm, Stainless steel PGH6B5B80

