

Series 4, semi-integrated dishwasher, 60 cm, Brushed steel SMI4EVS08E



Better drying performance with the connected dishwasher for smart remote control.

- **Efficient Dry:** top-rated drying performance by automatic door opening.
- **Hygiene level validated for Eco 50°C and higher levels with Intensive 70°C and Machine Care programmes**
- **VarioFlex-baskets and VarioDrawer: enhanced re-adjusting options with more space on all levels.**
- **Cesta superior RackMatic 3 niveles puedes regular con absoluta seguridad la altura de la cesta superior hasta 5 cm en 3 niveles diferentes, incluso con la cesta llena.**
- **Silence Plus: the remarkably quiet 44 dB dishwasher.**

SGZ0BI02	decorative strips stainless steel 81,5cm
SGZ0IC00	Small Item Clip for upper rack
SGZ1010	inlet and outlet hose extension
SMZ1051EU	Mains cable with EU-Plug 5m
SMZ2014	Rack insert for stemware dishwasher
SMZ2044	Plinth casing and door, stainless steel
SMZ5000	Dishwashing aid set
SMZ5003	Retractable hinge f. high corpus dimens.
SMZ5100	Vario-cutlery basket
SMZ5300	GlassSecure Tray

Energy Efficiency Class (Regulation (EU) 2017/1369): B
Energy Consumption for 100 cycles Eco Programme: 65 kWh
Maximum number of place settings: 14
The water consumption of the eco programme in liters per cycle:	9.0 l
Programme duration: 3:55 h
Airborne acoustical noise emissions :44 dB(A) re 1pW
Airborne acoustical noise emission class:B
Cleaning performance:A
Water consumption:9.0 l
Total annual water consumption 220 days: 1980 l
Built-in / Free-standing: Built-in
Removable top: No
Door panel options: Not possible
Height of removable worktop: 0 mm
Height of the appliance: 815 mm
Adjustable feet: Yes - all from front
Maximum adjustability feet: 60 mm
Adjustable plinth: Both horizontal and vertical
Net weight: 34.8 kg
Gross weight: 37.0 kg
Connection rating: 2400 W
Fuse protection: 10 A
Voltage: 220-240 V
Frequency: 50; 60 Hz
Length electrical supply cord: 175.0 cm
Plug type: Gardy plug w/ earthing
Length inlet hose: 165 cm
Length outlet hose: 190 cm
Hidden heating element: Yes
Water protection system description: Triple water protection 24h
Child safety devices: Electr. lock panel
Water softener: Yes
Top basket type: High flexibility with Vario Flex basket
Adjustable upper basket: Rackmatic 3-stage
Bottom basket type: mid
3rd Rack: 3rd Rack 1.0
Optional accessories:	SGZ0BI02, SGZ0IC00, SGZ1010, SMZ1051EU, SMZ2014, SMZ2044, SMZ5000, SMZ5003, SMZ5100, SMZ5300
Included accessories 2: Vapor barrier plate
Number of place settings: 14
Color / Material panel: Stainless steel
Color / Material body: Lacquered
Dimensions of the product (HxWxD): 815 x 598 x 573 mm
Dimensions of the packed product (HxWxD): 880 x 660 x 670 mm



Series 4, semi-integrated dishwasher, 60 cm, Brushed steel SMI4EVS08E

Better drying performance with the connected dishwasher for smart remote control.

BOSCH - Header 1

- Energy Efficiency Class¹: B
- Energy² / Water³: 65 kWh / 9 litres
- Capacity: 14 place settings
- Programme duration⁴: 3:55 (h:min)
- Noise level: 44 dB(A) re 1 pW
- Noise Efficiency Class: B
- Noise level (Silence 50°C programme): 43 dB(A) re 1 pW

BOSCH - Header 2

- 6 programmes: Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 65 °C, Silence 50 °C, Favourite (Pre-Rinse)
- Favourite function
- 4 special options: Remote Start, Efficient Dry, Half Load, SpeedPerfect+
- Machine Care Programme
- Add-On functions via Home Connect app: Hygiene Plus, Silence on Demand (Quiet now)

BOSCH - Header 3

- EfficientDry and Heat exchanger
- AquaSensor
- DosageAssist
- EcoSilence Drive
- Detergent Automation
- Self-cleaning filter system with 3-fold corrugated filter
- Interior tub material: Stainless Steel/Polinox

BOSCH - Header 4

- VarioFlex basket system
- VarioDrawer
- Rackmatic height-adjustable top basket (3 stage)
- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket
- 2 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- 2 cup shelves in top basket

BOSCH - Header 5

- Home Connect enabled via WLAN
- Panel legend: Plain text (english)
- Remaining programme time indicator (min)
- Electronic delay timer: 1-24 hours

BOSCH - Header 6

- AquaStop: Bosch warranty in case of water damage – for the lifetime of the appliance.*
- Childproof control lock
- Glass protection technology

BOSCH - Header 7

- incl. Steam protection for worktop

BOSCH - Header 8

- Product dimensions (HxWxD): 81.5 x 59.8 x 57.3 cm

¹ Scale of Energy Efficiency Classes from A to G

² Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)

³ Water consumption in litres per cycle (in programme Eco 50 °C)

⁴ Duration of programme Eco 50 °C

* Please find warranty terms under [please insert here the local URL (internet address, e.g. <https://www.bosch-home.com/> but with the direct page with the warranty terms)

