


Series 4, Gas hob, 60 cm, Stainless steel PGH6B5K80



Optional accessories

HEZ298105 : Simmer plate HEZ298110 : Wok ring HEZ298114 : Small pot support HEZ32WA00 : Wireless food thermometer HEZ9SE040 : 4 pieces Set HEZ9SE060 : 6 pieces Set

The gas hob with steel pan supports.

- **Continuous steel pan supports:** lightweight with maximum stability
- **Safety gas cut-off:** ensures safety by instantly cutting off gas supply if the flame goes out.
- Wok burner: quick boiling or precise simmering.
- Sword knobs: firmer grip and easy control of your gas hob.
- **Biomethane-ready:** power your gas hob with renewable, sustainable gas.

Technical Data

Product name/family : gas hob w integrated controls Built-in / Free-standing : Built-in Energy input : Gas Total number of positions that can be used at the same time : 4 Type of control setting devices : sword knobs Required niche size for installation (HxWxD) : 45 x 560-562 x 480-492 mm Width of the appliance : 582 mm Dimensions : 51.1x582x520 mm Dimensions of the packed product (HxWxD) : $141 \times 651 \times 578$ mm Net weight : 7.0 kg Gross weight : 8.0 kg Residual heat indicator : Without Location of control panel : Front Basic surface material : Stainless steel Color of surface : Stainless steel Length electrical supply cord : 100.0 cm Knob Material : Plastic Sealed Burners : No Power of heating element (kW) : 1.75 kW Power of 3rd heating element (kW) : 1.75 kW Power of 5th heating element (kW) : 3.3 kW Connection Rating : 1 W Gas connection rating : 7800 W Fuse protection : 3 A Voltage : 220-240 V Frequency : 50; 60 Hz Energy input : Gas Gas type : Nat gas H/E/(L) 20 (25) mbar Alternative gas type : Liquid gas G30,31 28-30/37mbar Plug type : No plug (electrical connection by electrician) Appliance Dimensions (h x w x d) (in) : x xDimensions of the packed product : 5.55 x 22.75 x 25.62 Net weight : 15.000 lbs Gross weight : 18.000 lbs





Series 4, Gas hob, 60 cm, Stainless steel PGH6B5K80

The gas hob with steel pan supports.

Design

- Stainless steel surface
- Continuous steel pan supports

Usage convenience

- Sword knobs, front: easily access knobs in front with strong grip for effortless turning.
- Automatic ignition: just push and turn the knob to ignite the flame.

Burners and power

- 4 Gas burners
- Left front: Standard burner up to 1.75 KW (depending on gas type)
- Left rear: Standard burner up to 1.75 KW (depending on gas type)
- Right rear: Wok burner up to 3.3 KW (depending on gas type)
- Right front: Economy burner up to 1 KW (depending on gas type)

Safety

- Safety gas cut-off: prevents unwanted gas flow when flame goes out.

Installation (gas types & measurements)

- Usable for: NG H/E 20mbar, E+ 20/25mbar
- Preset for natural gas (20mbar)
- Nozzle set for Liquid gas nozzles (28-30/37mbar) included. Nozzles for all other gas types can be ordered via the customer service. For nozzle change, please contact the customer service.
- Dimensions of the product (HxWxD mm): 51.1 x 582 x 520
- Required niche size for installation (HxWxD mm) : 45 x 560 x (480 492)
- Min. worktop thickness: 30 mm
- Power cord: 1 m
- Connected load: 7.8 KW



Series 4, Gas hob, 60 cm, Stainless steel PGH6B5K80

