



N 50, FULLY-INTEGRATED DISHWASHER, 60 CM,
VARIABLE HINGE FOR SPECIAL INSTALLATION
SITUATIONS
S275ECX13F



The dishwasher with cutlery drawer that's flexible to load and indicates when it's running, fits even for special built-in situations.

- ✓ Flex 2 Baskets – Flexible baskets, three-stage Rack Matic and Flex Cutlery Drawer offer easy loading
- ✓ Gap Illumination – Tells you when a dishwasher cycle is running.
- ✓ Vario Hinge – Install your dishwasher almost anywhere.
- ✓ Open Dry – Automatic door opening during the drying phase for even better drying results
- ✓ Chef 70°C – The pro programme that vanishes stubborn residues.

Energy Efficiency Class (Regulation (EU) 2017/1369): B
 Energy Consumption for 100 cycles Eco Programme: 65 kWh
 Maximum number of place settings: 14
 The water consumption of the eco programme in liters per cycle: 9.0 l
 Programme duration: 3:35 h
 Airborne acoustical noise emissions : 42 dB(A) re 1pW
 Airborne acoustical noise emission class: B
 Cleaning performance: A
 Water consumption: 9.0 l
 Total annual water consumption 220 days: 1980 l
 Design: Built-in
 Removable top: No
 Door panel options: Not possible
 Height of removable worktop: 0 mm
 Height of the appliance: 865 mm
 Adjustable feet: Yes - all from front
 Maximum adjustability feet: 60 mm
 Adjustable plinth: Both horizontal and vertical
 Net weight: 40.1 kg
 Gross weight: 42.0 kg
 Connection Rating: 2400 W
 Fuse protection: 10 A
 Voltage: 220-240 V
 Frequency: 50; 60 Hz
 Length electrical supply cord: 175.0 cm
 Plug type: GARDY plug w/ earthing
 Length inlet hose: 165 cm
 Length outlet hose: 190 cm
 Hidden heating element: Yes
 Water protection system description: Triple water protection 24h
 Child safety devices: No
 Water softener: Yes
 Top basket type: High flexibility with Flex 2 basket
 Adjustable upper basket: Rackmatic 3-stage
 Bottom basket type: R3
 3rd Rack: 3rd Rack 1.0
 Optional accessories: Z7710X0, Z780BI11, Z7861X3, Z7863X0, Z7863X1, Z7863X8, Z7865X1EU, Z786BH00, Z7870X0, Z788BI00
 Included accessories 2: Vapor barrier plate
 Number of place settings: 14
 Dimensions of the product (HxWxD): 865 x 598 x 550 mm
 Dimensions of the packed product (HxWxD): 920 x 660 x 670 mm

Z7710X0	inlet and outlet hose extension
Z780BI11	decorative strips stainless steel 86,5cm
Z7861X3	Panel strips high-install high 86,5cm
Z7863X0	Cutlery basket
Z7863X1	Rack insert for stemware dishwasher
Z7863X8	Wine glass holder
Z7865X1EU	Mains cable with EU-Plug 5m
Z786BH00	Bottle Holder grey
Z7870X0	Accessories dishwasher
Z788BI00	Connection rail for divided furniture



N 50, FULLY-INTEGRATED DISHWASHER, 60 CM,
VARIABLE HINGE FOR SPECIAL INSTALLATION
SITUATIONS
S275ECX13F

NEFF - Header 1

- Energy Efficiency Class¹: B
- Energy² / Water³: 65 kWh / 9 litres
- Capacity: 14 place settings
- Programme duration⁴: 3:35 (h:min)
- Noise level: 42 dB(A) re 1 pW
- Noise Efficiency Class: B

NEFF - Header 2

- 6 programmes: Eco 50 °C, Auto 45-65 °C, Chef 70 °C, Classic 60 °C, Glass 40 °C, Favourite (Pre-Rinse)
- Favourite Programme
- 4 special options: Remote Start, Extra Dry, Power Zone, Extra Speed
- Easy Clean Programme
- Add-On functions via Home Connect app: Extra Hygiene, Silence on Demand (Quiet now)

NEFF - Header 3

- Open Dry and Heat exchanger
- AquaSensor®
- DosageAssist
- EfficientSilentDrive
- Detergent Automation
- Self-cleaning filter system with 3-fold corrugated filter
- Interior tub material: Stainless Steel

NEFF - Header 4

- Flex 2 basket system with coloured touchpoints
- Flex Cutlery Drawer
- Rack Matic height-adjustable top basket (3 stage)
- Ball bearing low friction wheels on top basket
- Low friction wheels on bottom basket
- Coloured anti-slip protection strips in top basket
- Rack Stopper to prevent derailing of bottom basket
- 6 foldable plate racks in top basket
- 6 foldable plate racks in bottom basket
- 2 cup shelves with soft silicone front part in top basket
- 2 cup shelves in bottom basket
- Anti-slip protection strip for wine glasses in top basket
- Glass rack in bottom basket

NEFF - Header 5

- Home Connect enabled via WLAN
- Controls on top edge of door
- Panel legend: Plain text (english)
- Gap Illumination
- Remaining programme time indicator (min)
- Acoustic end of cycle indicator
- Electronic delay timer: 1-24 hours

NEFF - Header 6

- Aqua Stop®: Neff warranty in case of water damage – for the lifetime of the appliance. *
- incl. Vario Hinge
- Glass Care System
- incl. Salt filling funnel
- incl. Steam protection for worktop
- Product dimensions (HxWxD): 86.5 x 59.8 x 55 cm

¹ Scale of Energy Efficiency Classes from A to G

² Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)


³ Water consumption in litres per cycle (in programme Eco 50 °C)

⁴ Duration of programme Eco 50 °C


* Please find warranty terms under [please insert here the local URL (internet address, e.g. <https://www.neff-home.com> but with the direct page with the warranty terms)

N 50, FULLY-INTEGRATED DISHWASHER, 60 CM,
VARIABLE HINGE FOR SPECIAL INSTALLATION
SITUATIONS
S275ECX13F

measurements in mm



socket
() values with extension kit



measurements in mm