

N 90, GAS HOB, 90 CM, TEMPERED GLASS, BLACK T29RHS4S0



The gas hob with precise flame control, an easy-to-clean surface and smart hob-hood-interaction.

- ✓ FlameSelect®: Gain precise control of your flame.
- ✓ Touch Control Display: Set a timer or control your hood.
- ✓ Hob-Hood-Interaction Control: Convenient hood operation via your hob.
- ✓ Illuminated Metallic Sword Knobs: Bright, precise and removable for easy cleaning.
- ✓ Cast Iron Pan Supports: Maximum stability, easy handling, and dishwasher cleaning.

Optional accessories

Z1365WX0	Wireless food thermometer
Z2402X0	Small pot support
Z2471X0	Wok ring
Z2480X0	Simmer plate
Z9404SE0	4 pieces Set
Z9406SE0	6 pieces Set

Features

Technical Data

Appliance type:	gas hob w integrated controls
Design:	Built-in
Heating type:	Gas
Total number of positions that can be used at the same time:	5
Required niche size for installation (HxWxD):	45 x 850-850 x 490-500 mm
Width of the appliance:	915 mm
Dimensions:	54x915x520 mm
Dimensions of the packed product (HxWxD):	165 x 1116 x 659 mm
Net weight:	21.3 kg
Gross weight:	24.7 kg
Residual heat indicator:	yes
Location of control panel:	Front
Basic surface material:	Tempered glass
Color of surface:	Black
Color of frame:	Black
Length electrical supply cord:	100.0 cm
Knob Material:	Full metal
Sealed Burners:	No
Power of 2nd heating element (kW):	5 kW
Power of 4th heating element (kW):	1.75 kW
Power of 5th heating element (kW):	3 kW
Connection Rating:	2 W
Gas connection rating:	13700 W
Fuse protection:	3 A
Voltage:	220-240 V
Frequency:	50; 60 Hz
Heating type:	Gas
Gas type:	Nat gas H/E/(L) 20 (25) mbar
Alternative gas type:	Liquid gas G30,31 28-30/37mbar
Plug type:	No plug (electrical connection by electrician)
Appliance Dimensions (h x w x d) (in):	x x x
Dimensions of the packed product:	6.49 x 25.94 x 43.93
Net weight:	47.000 lbs
Gross weight:	55.000 lbs
Total number of positions that can be used at the same time:	5
Length electrical supply cord:	100.0 cm
Required niche size for installation (HxWxD):	45 x 850-850 x 490-500 mm
Dimensions:	54x915x520 mm
Dimensions of the packed product (HxWxD):	165 x 1116 x 659 mm

Net weight: 21.3 kg
Gross weight: 24.7 kg



N 90, GAS HOB, 90 CM, TEMPERED GLASS, BLACK T29RHS4S0

Features

Design

- Tempered glass hob surface, black
- Semi-continuous cast iron pan supports
- Illuminated, Metal knobs

Usage convenience

- FlameSelect: precisely adjust the flame in nine defined and repeatable levels.
- Digital display: see the selected power level and the residual heat.
- Sword knobs, front: easily access knobs in front with strong grip for effortless turning.
- Automatic ignition: just push and turn the knob to ignite the flame.
- Count-down timer: an alarm sounds at the end of the time set (e.g. for pasta).

Burners and power

- 5 Gas burners
- Including Dual wok burner: use an extra wide power range, separately controlling two flame rings.
- Left: Wok burner up to 5 KW (depending on gas type)
- Center front: Standard burner up to 1.75 KW (depending on gas type)
- Center rear: Standard burner up to 1.75 KW (depending on gas type)
- Right rear: Rapid burner up to 3 KW (depending on gas type)
- Right front: Economy burner up to 1 KW (depending on gas type)

Cleaning

- Removable knobs for easy cleaning between knobs.
- Dishwasher suitable pan supports for easy cleaning.
- Semi-continuous cast iron pan supports: little weight and compact form, yet high stability due to continuous surface.

Safety

- Gas Safety Cut-Off: prevents unwanted gas flow when flame goes out.
- 5-fold residual heat indicator: indicates which burner parts and pan supports are still hot.

Connectivity

- Home Connect : check if the hob is switched off even when not at home and find additional functions in the Home Connect app.
- Hob-based hood control (with matching hood) : automatically activates the hood when cooking, thanks to the WiFi connection of hob and suitable hood.
- Smart Hood Automatic (available after software update): hood automatically adapts fan speed thanks to hob continuously providing cooking data (with matching hood and connected Home Connect account).
- Sound volume of Touch control adaptable to personal preference and needs (via app).

Installation (gas types & measurements)

- Usable for: NG H/E 20mbar, E+ 20/25mbar
- Preset for natural gas (20mbar)
- Nozzle set for Liquid gas nozzles (28-30/37mbar) included. Nozzles

for all other gas types can be ordered via the customer service. For nozzle change, please contact the customer service.

- Dimensions of the product (HxWxD mm): 54 x 915 x 520
- Required niche size for installation (HxWxD mm) : 45 x 850 x (490 - 500)
- Min. worktop thickness: 20 mm
- Power cord: 1 m
- Connected load: 13.7 KW

Accessories

- Wok ring included

