

N 70, FULLY-INTEGRATED DISHWASHER, 60 CM,  
 VARIABLE HINGE FOR SPECIAL INSTALLATION  
 SITUATIONS  
 S177ZCX01E



Give feedback on your washing and drying cycle results via the Home Connect app and the Intelligent Programme easily adapts to your needs.

- ✓ Flex 1 Baskets – Flexible Baskets with Rack Matic and Flex Cutlery Drawer for convenient loading freedom
- ✓ Gap Illumination – Tells you when a dishwasher cycle is running.
- ✓ Vario Hinge – Install your dishwasher almost anywhere.
- ✓ Zeolith: Effective drying using natural minerals.
- ✓ Intelligent Programme – Settings for customised washing and drying cycles based on your feedback.

Z7710X0	inlet and outlet hose extention
Z780BI01	decorative strips stainless steel 81,5cm
Z7860X3	Stainless steel protection set 81,5 cm
Z7863X0	Cutlery basket
Z7863X1	Rack insert for stemware dishwasher
Z7865X1EU	Mains cable with EU-Plug 5m
Z7870X0	Accessories dishwasher
Z7871X0	Silver polishing cassette
Z788BI00	Connection rail for divided furniture

Energy Efficiency Class (Regulation (EU) 2017/1369): .....	B
Energy Consumption for 100 cycles Eco Programme: .....	65 kWh
Maximum number of place settings: .....	14
The water consumption of the eco programme in liters per cycle: 9.0 l	
Programme duration: .....	3:35 h
Airborne acoustical noise emissions : .....	40 dB(A) re 1pW
Airborne acoustical noise emission class: .....	B
Cleaning performance: .....	A
Water consumption: .....	9.0 l
Total annual water consumption 220 days: .....	1980 l
Design: .....	Built-in
Removable top: .....	No
Door panel options: .....	Not possible
Height of removable worktop: .....	0 mm
Height of the appliance: .....	815 mm
Adjustable feet: .....	Yes - all from front
Maximum adjustability feet: .....	60 mm
Adjustable plinth: .....	Both horizontal and vertical
Net weight: .....	46.6 kg
Gross weight: .....	48.5 kg
Connection Rating: .....	2400 W
Fuse protection: .....	10 A
Voltage: .....	220-240 V
Frequency: .....	50; 60 Hz
Length electrical supply cord: .....	175.0 cm
Plug type: .....	Gardy plug w/ earthing
Length inlet hose: .....	165 cm
Length outlet hose: .....	190 cm
Hidden heating element: .....	Yes
Water protection system description: .....	Triple water protection 24h
Child safety devices: .....	No
Water softener: .....	Yes
Top basket type: .....	Practical loading with Flex 1 basket
Adjustable upper basket: .....	Rackmatic 3-stage
Bottom basket type: .....	R2
3rd Rack: .....	3rd Rack 1.0
Optional accessories: .....	Z7710X0, Z780BI01, Z7860X3, Z7863X0, Z7863X1, Z7865X1EU, Z7870X0, Z7871X0, Z788BI00
Included accessories 2: .....	Vapor barrier plate
Number of place settings: .....	14
Dimensions of the product (HxWxD): .....	815 x 598 x 550 mm
Dimensions of the packed product (HxWxD): .....	870 x 660 x 670 mm



4 242004 279532

N 70, FULLY-INTEGRATED DISHWASHER, 60 CM,  
 VARIABLE HINGE FOR SPECIAL INSTALLATION  
 SITUATIONS  
 S177ZCX01E

**NEFF - Header 1**

- Energy Efficiency Class<sup>1</sup>: B
- Energy for 100 cycles / Water for 1 cycles ECO: 65 kWh / 9 litres
- Capacity: 14 place settings
- Programme duration<sup>4</sup>: 3:35 (h:min)
- Noise level: 40 dB(A) re 1 pW
- Noise Efficiency Class: B
- Noise level (Silence 50°C programme): 39 dB(A) re 1 pW

**NEFF - Header 2**

- 8 Programmes: Eco 50 °C, Auto 45-65 °C, Intelligent, Chef 70 °C, Classic 60 °C, Glass 40 °C, Silence 50 °C, Favourite (Pre-Rinse)
- Favourite Programme
- 4 special options: Remote Start, Extra Shine, Power Zone, Extra Speed
- Easy Clean Programme
- Add-On functions via Home Connect app: Extra Hygiene, Silence on Demand (Quiet now)

**NEFF - Header 3**

- Zeolith Drying
- Heat exchanger
- AquaSensor®
- DosageAssist
- EfficientSilentDrive
- Detergent Automation
- Self-cleaning filter system with 3-fold corrugated filter
- Interior tub material: Stainless Steel

**NEFF - Header 4**

- Flex 1 basket system
- Flex Cutlery Drawer
- Rack Matic height-adjustable top basket (3 stage)
- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket
- 2 foldable plate racks in top basket
- 2 foldable plate racks in bottom basket
- 2 cup shelves in top basket
- 2 cup shelves in bottom basket

**NEFF - Header 5**

- Home Connect enabled via WLAN
- Touch Control (metallic)
- Controls on top edge of door
- Panel legend: Plain text (english)
- EmotionLight
- Gap Illumination
- Remaining programme time indicator (min)
- Acoustic end of cycle indicator
- Electronic delay timer: 1-24 hours

**NEFF - Header 6**

- Aqua Stop®: Neff warranty in case of water damage – for the lifetime of the appliance.\*
- incl. Vario Hinge
- Glass Care System
- incl. Salt filling funnel
- incl. Steam protection for worktop
- Product dimensions (HxWxD): 81.5 x 59.8 x 55 cm

<sup>1</sup> Scale of Energy Efficiency Classes from A to G

<sup>2</sup> Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)

<sup>3</sup> Water consumption in litres per cycle (in programme Eco 50 °C)

<sup>4</sup> Duration of programme Eco 50 °C

\* Please find warranty terms under [please insert here the local URL (internet address, e.g. <https://www.neff-home.com> but with the direct page with the warranty terms)]

N 70, FULLY-INTEGRATED DISHWASHER, 60 CM,  
VARIABLE HINGE FOR SPECIAL INSTALLATION  
SITUATIONS  
S177ZCX01E

