

Series 4, free-standing fridge-freezer with freezer at bottom, 203 x 60 cm, Stainless steel look KGN392LDC



The No Frost bottom freezer with VitaFresh: Keeps your fresh foods fresh longer.

- **VitaFresh:** keeps food fresh for longer in climate controlled drawers at near 0°C.
- **No Frost:** you'll never have to defrost your fridge-freezer again.
- **Perfect Fit:** place your fridge right next to walls or in a niche.
- **Automatic Super Freezing function:** optimal for freezing smaller food load faster whilst protecting your frozen items from defrosting, thanks to the detection of temperature increase and the automatic decrease of temperature
- **LED lighting:** Explore the bright side of fridge illumination with LEDs.

Technical Data

Energy Efficiency Class: D
 Average annual energy consumption in kilowatt hour per year (kWh/a): 191 kWh/annum
 Sum of volume of frozen compartments: 89 l
 Sum of volume of chill compartments: 279 l
 Airborne acoustical noise emissions : 36 dB(A) re 1 pW
 Airborne acoustical noise emission class: C
 Built-in / Free-standing: Free-standing
 Door panel options: Not possible
 Height: 2030 mm
 Width of the appliance: 600 mm
 Depth of the product: 660 mm
 Net weight: 75.2 kg
 Connection Rating: 100 W
 Fuse protection: 10 A
 Door hinge: Right reversible
 Voltage: 220-240 V
 Length electrical supply cord: 240.0 cm
 Number of compressors: 1
 Number of independent cooling systems: 2
 Interior ventilator: No
 Reversible Door Hinge: Yes
 Number of Adjustable Shelves in fridge compartment: 3
 Shelves for Bottles: Yes
 Installation typology: N/A

Included accessories

1 x ice cube tray



Series 4, free-standing fridge-freezer with freezer at bottom, 203 x 60 cm, Stainless steel look KGN392LDC

The No Frost bottom freezer with VitaFresh: Keeps your fresh foods fresh longer.

- NoFrost, Bottom freezer
- Stainless steel look Doors

Performance and consumption

- Energy Class: D
- Total Volume: 368 l
- Net Fridge Volume : 279 l
- Net Freezer Volume : 89 l
- Freezing capacity 24h: 10 kg
- Annual Energy Consumption: 191 kWh/a
- Climate Class: SN-T
- Fast Freeze Facility
- Noise Level : 36 dB , C Class
- Temperature rise time : 12 H

Design and Styling

- Doors Stainless steel look, side panels Pearl grey (VZF 07127)
- Integrated vertical handle
- LED with Soft Start in fridge section

Convenience & Safety

- NoFrost
- Separate, electronic temperature control, LED indicators
- Two Cooling Systems
- Super Cooling: automatic deactivation
- Optical and acoustic door open warning system
- Visual and acoustic warning system in case of malfunction of the freezer compartment

Fridge Compartment

- Multi Airflow-System
- 5 safety glass shelves, thereof 3 height adjustable, 4 x EasyAccess Shelf, extendable
- Bottle storage: Bottle grid
- 1 door bin(s) high, 3 door bin(s) small

Freshness System

- 1 VitaFresh ◀0°C▶ drawer - Fish and meat stay fresh for longer
- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer.

Freezer

- 3 transparent freezer drawers
- Super Freezing: Manual/automatic activation
- Vario Zone - removable glass shelves for extra space in freezer

Dimensions

- Appliance Dimensions (H x W x D): 203 cm x 60 cm x 66.0 cm

Technical Information

- Door right hinged, reversible
- Height adjustable front feet
- Connected load: 100 W
- Nominal voltage: 220 - 240 V
- Length of power cord: 240 cm

Accessories

ice cube tray

Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Environment and Safety


Installation

General Information

- Compressor TechnologCompressor: inverter compressor


Series 4, free-standing fridge-freezer with freezer at bottom, 203 x 60 cm, Stainless steel look KGN392LDC

Appliance Name	a	b	c	d	e	f	g
KGN39/KGF39 (int. handle)	2030	600	660	590	600	1210	660
KGN39/KGF39 (ext. handle)	2030	600	660	590	640	1210	700




Specification
a Height
b Width
c Depth with door closed, without handle
d Cabinet depth
e Width with door opened to 90°
f Depth with door opened
g Depth with door closed, with handle

measurements in mm



If the appliance is fitted directly to the wall,
all of the drawers can be pulled out fully.
* With and without external handle.



Appliance name	A	B	C	D
KGN33, 36, 39, 46, 49	0/65	20	590	125
KGF39, 49	0/65	20	590	125

Dimension A:
In models with vertical integrated handles,
in order to open easily, a minimum distance
of 65 mm is needed.

measurements in mm