

**Series 4, free-standing fridge-freezer
with freezer at bottom, 203 x 70 cm,
Stainless steel look, Total No Frost
KGN49XLEA**



**The NoFrost bottomfreezer with VitaFresh:
Keeps your fresh foods fresh longer.**

- **Perfect Fit:** place your fridge right next to walls or in a niche.
- **LED lighting:** keep your groceries in perfect view.
- **Vario Zone:** more flexibility due to variable-use glass shelves and drawers in the freezer compartment.
- **Easy Access Shelf:** pull-out glass shelf gives you better access to the contents of your fridge.
- **2 Cooling Systems:** separately controllable refrigerator and freezer compartments

Energy Efficiency Class (Regulation (EU) 2017/1369):	E
Average annual energy consumption in kilowatt hour per year (kWh/a):	259 kWh/annum
Sum of volume of frozen compartments:	108 l
Sum of volume of chill compartments:	330 l
Airborne acoustical noise emissions :	40 dB(A) re 1 pW
Airborne acoustical noise emission class:	C
Built-in / Free-standing:	Free-standing
Number of compressors:	1
Number of independent cooling systems:	2
Width of the appliance:	700 mm
Height:	2030 mm
Depth of the product:	670 mm
Net weight:	82.1 kg
Door panel options:	Not possible
Door hinge:	Right reversible
Number of Adjustable Shelves in fridge compartment:	4
Shelves for Bottles:	No
Frost free system:	Fridge and freezer
Interior ventilator:	No
Reversible Door Hinge:	Yes
Length electrical supply cord:	240.0 cm
Noise level:	40 dB(A) re 1 pW
Multi-Flow Air Tower:	Yes
Fast cooling switch:	Yes
Fast freezing function:	Yes
Temperature Controlled Drawer:	No
Humidity Control Drawer:	Yes
Number of Door Bins - Refrigerator:	4
Door bin adjustability - Refrigerator:	Yes
Tilt-out door bins in fridge:	Yes
Gallon wide door bins:	Yes
Number of Gallon storage:	1
Motorized Shelf:	No
Material of the shelves:	Safety glass
Door opened indicator freezer:	No
Automatic motor-driven ice-maker:	No
Connection rating:	100 W
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	50 Hz
Storage Period in Event of Power Failure (h):	16 h
Door panel options:	Not possible
Noise level:	40 dB(A) re 1 pW
ENERGY STAR® certified:	No
Plug type:	Gardy plug w/ earthing
Required cutout/niche size for installation (in):	x
Dimensions of the packed product:	82.28 x 29.92 x 30.31
Net weight:	181.000 lbs
Gross weight:	194.000 lbs



Series 4, free-standing fridge-freezer with freezer at bottom, 203 x 70 cm, Stainless steel look, Total No Frost KGN49XLEA

- Automatic defrost in fridge section
- Freezing possible in all freezer compartments

The NoFrost bottomfreezer with VitaFresh: Keeps your fresh foods fresh longer.

- KGN49XLEA
- NoFrost, Bottom freezer
- Stainless steel look Doors

Performance and consumption

Fridge Compartment

- Doors Stainless steel look, side panels Pearl grey (VZF 07127)
- Integrated vertical handle
- Door right hinged, reversible
- Separate, electronic temperature control, LED indicators

Freezer Section

- Two Cooling Systems

Technical Information

- 1 VitaFresh drawer with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer.
- , 2 VitaFresh 0° C drawers with temperature control - Fish and meat stay fresh for longer
- Multi Airflow-System
- LED with Soft Start in fridge section
- 5 safety glass shelves (4 height adjustable), of which 4 x EasyAccess Shelf, extendable
- 1 door shelf large, 3 door shelf small
- Super Cooling: automatic deactivation

Accessories

- 3 transparent freezer drawers
- Super Freezing: Manual/automatic activation
- Visual / acoustic

General Information

- Optical and acoustic door open warning system
- Vario Zone - removable safety glass shelves for extra space!

- ice cube tray


Installation

- Connected load: 100 W
- Nominal voltage: 220 - 240 V
- Height adjustable front feet
- Dimensions (H x W x D): 203.0 cm x 70.0 cm x 67.0 cm
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

Design and Styling

Dimensions

**Series 4, free-standing fridge-freezer
with freezer at bottom, 203 x 70 cm,
Stainless steel look, Total No Frost
KGN49XLEA**



Appliance name	a	b	c	d	e	f	g	h
KGN 46 (Outer handle)	1860	700	670	590	740	1310	710	12
KGN 46 (Inner handle)	1860	700	670	590	710	1310	670	12
KGN 49 (Outer handle)	2030	700	670	590	740	1310	710	12
KGN 49 (Inner handle)	2030	700	670	590	710	1310	670	12

Description	
a	Height
b	Width
c	Depth with door closed, without handle
d	Cabinet depth
e	Width with door opened to 90°
f	Depth with door opened, without handle
g	Depth with door closed, with handle
h	Air gap for installation in recess or fitted cabinet

measurements in mm