

N 70, BUILT-IN WARMING DRAWER, 60 X 14 CM,
 FLEX DESIGN
 N29HA11Y1



Optional accessories

Z9075MY0 SC FlexDesign MS 75 WD 14 + 60, Z9098AY0 SC FlexDesign AG 98 60 + MW 38, Z9098BY0 SC FlexDesign BB 98 60 + MW 38, Z9098DY0 SC FlexDesign DB 98 60 + MW 38, Z9098MY0 SC FlexDesign MS 98 60 + MW 38, Z9105AY0 SC FlexDesign AG 105 60 + 45, Z9105BY0 SC FlexDesign BB 105 60 + 45, Z9105DY0 SC FlexDesign DB 105 60 + 45, Z9105MY0 SC FlexDesign MS 105 60 + 45, Z912AAY0 SC FlexDesign AG 120 WD14 + 60 + 45, Z912ABY0 SC FlexDesign BB 120 WD14 + 60 + 45, Z912ADY0 SC FlexDesign DB 120 WD14 + 60 + 45, Z912AMY0 SC FlexDesign MS 120 WD14 + 60 + 45, Z912BAY0 SC FlexDesign AG 120 60+60, Z912BBY0 SC FlexDesign BB 120 60+60, Z912BDY0 SC FlexDesign DB 120 60+60, Z912BMY0 SC FlexDesign MS 120 60+60, Z990AAY0 SC FlexDesign AG 90 WD 29 + 60, Z990ABY0 SC FlexDesign BB 90 WD 29 + 60, Z990ADY0 SC FlexDesign DB 90 WD 29 + 60, Z990AMY0 SC FlexDesign MS 90 WD 29 + 60, Z9014BY0 FlexDesign BB 14 WD/SD 14, Z9014DY0 FlexDesign DB 14 WD/SD 14, Z9014MY0 FlexDesign MS 14 WD/SD 14, Z9060AY0 (SC) FlexDesign AG 60 Oven 60, Z9060BY0 (SC) FlexDesign BB 60 Oven 60, Z9060DY0 (SC) FlexDesign DB 60 Oven 60, Z9060MY0 (SC) FlexDesign MS 60 Oven 60, Z1365WX0 Wireless food thermometer, Z9014AY0 Flex Design AG 14 AD/WD/SD 14, Z9075AY0 SC FlexDesign AG 75 WD 14 + 60, Z9075BY0 SC FlexDesign BB 75 WD 14 + 60, Z9075DY0 SC FlexDesign DB 75 WD 14 + 60

Installation accessories

Z9014AY0 Flex Design AG 14 AD/WD/SD 14, Z9014BY0 FlexDesign BB 14 WD/SD 14, Z9014DY0 FlexDesign DB 14 WD/SD 14, Z9014MY0 FlexDesign MS 14 WD/SD 14, Z9075AY0 SC FlexDesign AG 75 WD 14 + 60, Z9075BY0 SC FlexDesign BB 75 WD 14 + 60, Z9075DY0 SC FlexDesign DB 75 WD 14 + 60, Z9075MY0 SC FlexDesign MS 75 WD 14 + 60, Z912AAY0 SC FlexDesign AG 120 WD14 + 60 + 45, Z912ABY0 SC FlexDesign BB 120 WD14 + 60 + 45, Z912ADY0 SC FlexDesign DB 120 WD14 + 60 + 45, Z912AMY0 SC FlexDesign MS 120 WD14 + 60 + 45, ZC060AY0 SC FlexDesign AG 60 WD14 + Coffee, ZC060BY0 SC FlexDesign BB 60 WD14 + Coffee, ZC060DY0 SC FlexDesign DB 60 WD14 + Coffee, ZC060MY0 SC FlexDesign MS 60 WD14 + Coffee

Preheat plates and cups, so that dishes stay hot longer. Keep warm, for keeping cooked dishes warm.

- ✓ Installation with compact appliance – combine your drawer with any 45 cm appliance
- ✓ Cup Warmer - Prepare your cups for coffee and tea, whenever and wherever!
- ✓ Plate Warmer - Keep your food at the right temperature from kitchen to table.
- ✓ Warming Drawer - Keep food warm until you're ready to serve, controlling the drawer from anywhere!
- ✓ Push & Pull – open or close your drawer with a gentle tap on its seamless surface

Features

Technical Data

Design: Built-in
 Maximum number of espresso cups: 64
 Dimensions: 140x596x518 mm
 Dimensions of the packed product (HxWxD):250x660x700 mm
 Required niche size for installation (HxWxD): . 140 x 560 x 550 mm
 Type of control setting and signalling devices: ... touch control, Via app
 Time control:No
 Fuse protection:10 A
 Voltage:220-240 V
 Frequency:50; 60 Hz
 Plug type:Gardy plug w/ earthing
 Required cutout/niche size for installation (in): x
 Dimensions of the packed product:9.84 x 25.98 x 27.55
 Net weight: 42.000 lbs
 Gross weight: 46.000 lbs
 Length electrical supply cord: 175 cm
 Required niche size for installation (HxWxD): . 140 x 560 x 550 mm
 Dimensions: 140x596x518 mm
 Dimensions of the packed product (HxWxD):250x660x700 mm
 Net weight: 19.2 kg
 Gross weight:20.9 kg



N 70, BUILT-IN WARMING DRAWER, 60 X 14 CM,
FLEX DESIGN
N29HA11Y1

Features

- Multifunctional warming drawer with 1 heating functions: Low temperature cooking, Keep warm, plate warming, cup warming

Design:

- Flex Design
- Touch Control illuminated
- Touch key operation
- Glass plate made of toughened glass
- Easy to clean stainless steel cavity

Comfort:

- User-friendly electronics: extremely
- easy and comfortable operation
- Cavity volume: 20 l
- Loading up to 25 kg
- Max. loading espresso cups: 64 PC or Max. loading plates: 12 PC
- Temperature control in 4 levels: ca. 30°C - 80°C (glass surface temperature)
- Opening without handle (push & pull)
- Favourites button - manage via Home Connect app
- Home Connect ready on Wi-Fi

Technical Information

- Length of mains cable: 175 cm
- Total connected load electric: 0.82 KW
- Nominal voltage: 220 - 240 V

Dimensions:

- Appliance dimension (HxWxD): 140 mm x 596 mm x 518 mm
- Niche dimension (HxWxD): 140 mm x 560 mm - 568 mm x 550 mm
- We recommend you to choose complementary products within N70, in order to assure an optimal design combination of your Built-In appliances.
- "Please reference the built-in dimensions provided in the installation drawing"
- This Drawer is suitable to all: Bosch Serie 6 Fullsize Line appliances and all Bosch Serie 8 appliances
- This Drawer is suitable to all: Siemens iQ500 Fullsize studioline appliances and all Siemens iQ700.
- This Drawer is suitable to all: Neff N70 and all N90 appliances.

N 70, BUILT-IN WARMING DRAWER, 60 X 14 CM,
FLEX DESIGN
N29HA11Y1

Dimensioned drawings

Measurements in mm

