Series 4, free-standing fridge, 186.2 x 59.5 cm, Stainless steel look KSN36VLDG







The freestanding fridge with VitaFresh 0°C for prolonged freshness, spacious capacity, quiet operation, and flexible door trays to fit even tall bottles.

- **XXL capacity**: our biggest Single Door capacity ever with much more space inside.
- **VitaFresh XXL 0°C**: temperatures just above 0°C ensure your food stays fresh for up to 14 days. [3]
- **Glossy white backwall**: clean, bright design with easy-to-clean durability.
- **Flex Interior**: adjust your fridge interior thanks to flexible trays and height-adjustable shelves.
- **Side-by-Side combination**: place a fridge next to a freezer for convenient storage.

Technical Data

Gross weight: ..... 155.000 lbs
Energy Efficiency Class (Regulation (EU) 2017/1369)[1]: ..... D
Average annual energy consumption in kilowatt hour per year (kWh/a)[2]: ..... 138 kWh/annum
Sum of volume of frozen compartments: ..... 0 l
Sum of volume of chill compartments: ..... 402 l
Airborne acoustical noise emissions : ..... 39 dB(A) re 1 pW
Airborne acoustical noise emission class: C
Built-in / Free-standing: ..... Free-standing
Width of the appliance: ..... 595 mm
Height: ..... 1862 mm
Depth of the product: ..... 663 mm
Net weight: ..... 63.9 kg
Door panel options: ..... Not possible
Door hinge: ..... Left reversible
Shelves for Bottles: ..... Yes
Frost free system: ..... Fridge
Interior ventilator: ..... No
Reversible Door Hinge: ..... Yes
Length electrical supply cord: ..... 230 cm
Multi-Flow Air Tower: ..... Yes
Economy setting: ..... Yes
Fast cooling switch: ..... Yes
Temperature Controlled Drawer: ..... Yes
Humidity Control Drawer: ..... Yes
Number of Door Bins - Refrigerator: 6
Door bin adjustability - Refrigerator: ..... No
Tilt-out door bins in fridge: ..... No
Gallon wide door bins: ..... Yes
Number of Gallon storage: 1
Motorized Shelf: ..... No
Material of the shelves: ..... Glas
Door opened indicator freezer: ..... No
Voltage: ..... 220-240 V
Frequency: ..... 50 Hz
Door panel options: ..... Not possible
Installation typology: ..... Free-standing
Plug type: ..... Gardy plug w/ earthing
Dimensions of the packed product: ..... 76.37 x 26.18 x 31.10
Net weight: ..... 141.000 lbs

Optional accessories

KSZ39AL00 Connection set inox

[1] Scale of Energy Efficiency Classes from A to G
[2] Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
[3] Based on internal testing by BSH Hausgeraete GmbH on leafy salads (e.g. romaine lettuce) stored in the VitaFresh 0°C freshness system. Results may vary depending on the type and initial quality of the food.

4 242005 553549

Series 4, free-standing fridge, 186.2 x 59.5 cm, Stainless steel look KSN36VLDG

The freestanding fridge with VitaFresh 0°C for prolonged freshness, spacious capacity, quiet operation, and flexible door trays to fit even tall bottles.

Performance and consumption
- Energy Class: D
- Total Volume: 402 l
- Annual Energy Consumption: 138 kWh/a
- Climate Class: SN-T
- Noise Level : 39 dB , C Class

Design and Styling
- door external material: Metal look
- casing color: pearl grey matt
- light, softstart KS: yes
- light fridge,top
- material backwall in fridge: Glossy white

Convenience & Safety
- Home Connect Ecosystem
- no frost fridge
- Multi Airflow
- flex door
- mode, sabbath: yes
- mode, holiday: yes
- mode, economy: yes
- temperatur zones no.: 2
- display type: 7 Segment
- door alarm fridge: yes
- mode, super cool: manual activating
- 90°door opening drawer removal
- side-by-side capable : can be placed alongside

Fridge Compartment
- Net Fridge Volume : 402 l
- Bottle Rack: 1
- no. small door bins full width: 1
- no. small door bins half width: 4
- no. large door bins full width: 1
- no. of shelves in fridge: 4

Freshness System
- Freshness drawer meat & fish: 2
- Freshness drawer fruit & vegetables: 1
- Multifunctional drawer: 1

Dimensions
- Appliance Dimensions (H x W x D): 1862 mm x 595 mm x 663 mm

Technical Information
- nominal voltage min: 220 V - nominal voltage max: 240 V
- length of mains cable in mm: 2300 mm

Accessories

Country Specific Options
- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.

Special Accessories


Environment and Safety

Installation


General Information

Series 4, free-standing fridge, 186.2 x 59.5 cm, Stainless steel look
KSN36VLDG

Measurements in mm



A: Air outlet ≥ 200 cm²



B: Air outlet ≥ 200 cm²

